



Visit				
Date of posttreatment visit at 12-15 months after the end of gonadotoxic treament  Min: 01-11-2023 Max: 31-12-2039				
Gonadotoxic treatment	t			
<b>Disease</b> Final dia	agnosis, for which the fertility counselling is perform	See <b>annexed list</b> with the disease list.		
if ➡ NOT LISTED				
Start of gonadotoxic treatment		Min: 01-01-2020 Max: 31-12-2039		
End of gonadotoxic treatment		Min: 01-01-2020 Max: 31-12-2039		
Duration of gonadotoxic treatment	Months	<b>Automatic calculation</b> of rounded number of months in REDCap.		
Treatment protocol (To be added by the organizers of the study.)		Numbered list from 1 to 99.		
Have testicles been removed as part of cancer therapy?	☐ Yes ☐ No			
	if YES   → How many testicles?	<ul><li>□ ½ testicle</li><li>□ 1 testicle</li><li>□ 2 testicles</li></ul>		

Page **1** of **13** 





0

P

Agranulocytosis (D70) Anal carcinoma (C21) Anaemia - Aplastic (D60 - D61) Α Anaemia - Fanconi (D61.0) Angiosarcoma (C22.3)

Blasenmole → »Trophoblastic disease«

## **Brain cancer:**

- Astrocytoma (C71.9)
- Ependymoma (C71.9)
- Glioblastoma (C71.9)
- Oligodendroglioma (C71.9)
- Medulloblastoma (C71.6)
- other (C71)

## **Breast cancer:**

B

- benign BRCA positive (Z15.01)
- hormone receptor positive (Z17.0)
- hormone receptor negative (Z17.1)
- hormone receptor status not known (Z17)
- other (C50)

Burkitt lymphoma (C83.7)

Cervix uteri carcinoma (C53) Chondrosarcoma (C41.9) C Colitis ulcerosa → »Ulcerative colitis« Colon carcinoma (C18) Crohn disease (K50)

Dermatomyositis (M33)

Endometrial carcinoma (C54) Endometriosis (N80) Ewing sarcoma (C40-C41)

Fibrosarcoma (C49.9) Fragile X syndrome (Q99.2)

Galactosemia (E74.2) G Germ cell tumour - extragonadal (ICD-O-3 M906-909)

Hodgkin lymphoma (C81)

Immune thrombocytopenia (D69)

Keimzelltumor → »Germ cell tumour« Kidney cancer (C64)

Leiomyosarcoma NOS (ICD-O-3 M8890/3)

## Leukaemia:

L

- Leukaemia lymphoid acute lymphoblastic (C91.0)
- Leukaemia lymphoid chronic lymphocytic (C91)
- Leukaemia myeloid acute (C92)
- Leukaemia myeloid chronic (C92)
- Leukaemia other forms (C91 C95)

Liposarcoma (C49.9)

Liver cancer (C22)

Lung cancer (C34)

Lupus erythematosus (L93)

Malignant fibrous histiocytoma → »Undifferentiated pleomorphic sarcoma«

Malignant nerve sheath tumour (C47.9)

Melanoma (C43)

Mesothelioma (C45)

Mixed connective tissue disease (M35.1)

Morbus Crohn → »Crohn disease«

Myelodysplastic syndrome (D46)

Multiple sclerosis (G35)

Myositis (M60)

Nasopharyngeal carcinoma (C11)

Nebennierenkrebs → »Adrenocortical carcinoma«

Nephritis / Glomerulonephritis (N05)

Nephroblastoma → »Wilms' tumour«

Non-Hodgkin lymphoma (C82 – C88)

Osteosarcoma (C41.9)

## Ovary (C56):

- borderline malignancy
- teratoma benign
- teratoma malignant

Pancreatic cancer (C25)

Placenta cancer (C58.9; D39.2) → »Trophoblastic

disease«

Pleomorphic undifferentiated sarcoma →

»Undifferentiated pleomorphic sarcoma«

Polyarteritis nodosa (M30)

Polychondritis (M94.8)

Polymyositis (M33)

Premature ovarian insufficiency (E28.3)

Prostate cancer (C61)

Rectal cancer (C20)

Rectosigmoid junction cancer (C19)

R Renal cell carcinoma → »Kidney cancer«

Rhabdomyosarcoma (C49.9)

Rheumatoid arthritis (M05 – M06, M08)

Schilddrüsenkrebs → »Thyroid cancer«

Sharp syndrome → »Mixed connective tissue disease«

Sickle cell disease (D57)

Sigmakarzinom → »Colon carcinoma« S

Sjögren (Sicca) syndrome (M35)

Stomach cancer (C16)

Synovial sarcoma (C49.9)

Systemic sclerosis (including: Scleroderma) (M34)

Takayasu arteritis (Aortic arch syndrome) (M31.4)

## Testicular cancer (C62): ■ seminoma

- non seminomatous germ cell tumour teratoma
- non seminomatous germ cell tumour embryonal

■ non seminomatous germ cell tumour - yolk sac carcinoma

stromal tumour - Leydig cell tumour

- stromal tumour Sertoli cell tumour
- other histological types

Thalassemia (D56)

Т

Thyroid cancer (C73)

Transgender (F64)

Trophoblastic disease (001.9) Turner syndrome (Q96)

Ulcerative colitis (K51)

Undifferentiated pleomorphic sarcoma (C49)

Vasculitis limited to skin (L95) Vulva carcinoma (C51)

Wegener granulomatosis (M31.3) Wilms' tumour (Kidney cancer in children) (C64)

**DISEASE NOT LISTED** 



Version: November 2023 Page 2 of 13





Chemo	otherapy
☐ Yes	
	if YES   → Protocol name (such as BEACOPPesc, CHOP, FEC, AC, etc.), medications given, dosage per cycle, number of cycles
□ No	
D1!1	
	therapy
☐ Yes	
	if YES → Protocol name, radiation field and applied dosage in case of pelvic radiation
□ No	
טאו כ	



Page **3** of **13** 





Record ID	
Record ID	

Immu	motherapy
☐ Yes	
	if YES → Protocol name, type of antibodies or inhibitors, dosage plus any other relevant details
□ No	
Opera	tion / Surgery
☐ Yes	
	if YES   → Protocol name plus any other relevant details
□ No	
Other	type of gonadotoxic treatment
☐ Yes	
	if YES   → Protocol name plus any other relevant details
□ No	

Page **4** of **13** 





Disease st	tatus				
Disease status	<ul> <li>Absence of tumor/disease (complete remission)</li> <li>Some tumor mass/disease left (&gt;50% reduction = partial remission)</li> <li>Substantial tumor mass/disease left (≤50% reduction = no remission)</li> <li>Relapse (reappearance of tumor/disease)</li> </ul>				
Any important cancer treatment-related events, such as:  further therapies, a second cancer, other diseases, etc.					
	if YES   → Please	e specify			
Blood parameters Ø					
Dat	e of blood test		Min: 01-11-2023 Max: 31-12-2039		
Serum tota	al testosterone concentration		Number (one decimal place), suggested range: 0.0 - 2000.0		
	the erum total osterone value	<ul><li>□ nmol/L</li><li>□ ng/dL</li><li>□ microgram/L</li></ul>			
Serum FSH	concentration	IU/L	Number (one decimal place), suggested range: 0.0 - 160.0		

**Serum LH concentration** 

Page **5** of **13** 

Number (one decimal place), suggested range: 0.0 - 12.0





Sperm parameters											0	
Date of sperm analysis (first ejaculate)					n: 01-11 x: 31-12							
Total sperm count in ejaculate			10	<sup>6</sup> Nur	mber (oi	ne decir	mal plac	e), sugg	ested ro	ange: 0.	0 - 928.	0
Sperm concentration			10 <sup>6</sup> /m	L Nur	mber (oi	ne decir	mal plac	e), sugg	ested ro	ange: 0.	0 - 300.	0
Total sperm progressive motility (WHO A+B)			9	5 Inte	eger, sug	ggested	range:	5 - 85		A = B = C =	end: rapid pro slow prog non-prog immotilit	<b>gressive</b> ressive
Proportion of sperm with normal morphology	-ld:		9	6 Inte	eger, sug	ggested	range:	0 - 30				
Fertility preservation measures												
Type of fertility preservation measure performed Sperm freezing  Testicular tissue freezing  Several items can be chosen.					nosen.							
Deticut esticfection												
Patient satisfaction				_								
Is the patient satisfied with the undergone fertility preservation					Yes No							
How satisfied is the patient windecision to undergo or not to un												
fertility preservation meas	_	0	1	2	3	4	5	6	7	8	9	10
How satisfied is the patient wi												
fertility preservation <u>counselling</u> the gonadotoxic treati		0	1	2	3	4	5	6	7	8	9	10
									<b>0</b> = 1	er labels not appl not satis	icable (	



**10** = very satisfied





Record ID	
INCCOLU ID	

Pregnan	cy outc	omes <u>USING</u> fertility preservation mea	asures	
Was frozen material used to achieve pregnancy?  Total number of pregnancies achieved after the gonadotoxic treatment using their own previous frozen material  □ 0 □ 1 □ 2 □ 3 □ 3 □ > 3				
		□ No		
	Frozen material	<ul> <li>□ Sperm freezing</li> <li>□ Testicular tissue freezing</li> <li>□ Unknown</li> </ul>	***	
<b>1</b> st Pregnancy	Status	<ul> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> <li>□ Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>□ Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>□ Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>□ Induced abortion</li> <li>□ Ectopic pregnancy</li> <li>□ Other</li> </ul>		
	if OTHER	please specify		
	Frozen material	<ul><li>Sperm freezing</li><li>Testicular tissue freezing</li><li>Unknown</li></ul>	濼	
<b>2</b> nd Pregnancy	Status	<ul> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> <li>□ Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>□ Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>□ Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>□ Induced abortion</li> <li>□ Ectopic pregnancy</li> <li>□ Other</li> </ul>		
	if OTHER	please specify		



Page **7** of **13** 





Pregnan	cy outc	omes <u>USING</u> fertility preservation measures		
	Frozen material	<ul><li>□ Sperm freezing</li><li>□ Testicular tissue freezing</li><li>□ Unknown</li></ul>		
<b>3</b> rd Pregnancy	Status	<ul> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> <li>□ Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>□ Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>□ Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>□ Induced abortion</li> <li>□ Ectopic pregnancy</li> <li>□ Other</li> </ul>		
if OTHER ⇒ please specify				
	Frozen material	<ul><li>□ Sperm freezing</li><li>□ Testicular tissue freezing</li><li>□ Unknown</li></ul>		
<b>4</b> <sup>th</sup> Pregnancy	Status	<ul> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> <li>□ Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>□ Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>□ Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>□ Induced abortion</li> <li>□ Ectopic pregnancy</li> <li>□ Other</li> </ul>		
	if OTHER	please specify		

Page **8** of **13** 



their own previous frozen material



Record ID	
Record ID	

## Pregnancy outcomes **NOT USING** their previous fertility preservation measures $\Box$ 0 □ 1 Total number of pregnancies achieved after the gonadotoxic treatment NOT using □ 2

then own pre	241043 11020	ii iiideeridi	□ 3 □ > 3	
<b>O</b> Pregnancies	Has the patient tried to get pregnant after the end of gonadotoxic treatment?			
	Method	<ul> <li>□ Natural conception (sexual intercourse)</li> <li>□ ART (Assisted Reproductive Technology)</li> <li>□ Unknown</li> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> </ul>		
<b>1</b> st Pregnancy	Status	<ul> <li>Ongoing pregnancy</li> <li>Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>Induced abortion</li> <li>Ectopic pregnancy</li> <li>Other</li> </ul>		
	if OTHER	please specify		

	Method	<ul><li>□ Natural conception (sexual intercourse)</li><li>□ ART (Assisted Reproductive Technology)</li><li>□ Unknown</li></ul>
<b>2</b> nd Pregnancy	Status	<ul> <li>□ Live birth</li> <li>□ Ongoing pregnancy</li> <li>□ Miscarriage - 1st trimester (&lt; 14 weeks)</li> <li>□ Miscarriage - 2nd trimester (&lt; 22 weeks)</li> <li>□ Stillbirth (≥ 22 weeks and weight ≥ 500 g)</li> <li>□ Induced abortion</li> <li>□ Ectopic pregnancy</li> <li>□ Other</li> </ul>
	if OTHER	please specify



Page **9** of **13** 





Rec	ord	ID
1166	UI U	ı

# Pregnancy outcomes **NOT USING** their previous fertility preservation measures

		☐ Natural conception (sexual intercourse)	
	Method	☐ ART (Assisted Reproductive Technology)	
		☐ Unknown	
		☐ Live birth	
		☐ Ongoing pregnancy	
		☐ Miscarriage - 1st trimester (< 14 weeks)	
	Status	☐ Miscarriage - 2nd trimester (< 22 weeks)	
<b>3</b> rd	Status	☐ Stillbirth (≥ 22 weeks and weight ≥ 500 g)	
3		☐ Induced abortion	
Pregnancy		☐ Ectopic pregnancy	
		□ Other	
	if OTHER	please specify	
		☐ Natural conception (sexual intercourse)	
	Method	☐ ART (Assisted Reproductive Technology)	( <del>}</del> <del>X</del> ← )
		☐ Unknown	
		☐ Live birth	
		☐ Ongoing pregnancy	
		☐ Miscarriage - 1st trimester (< 14 weeks)	
#+h	Chahaa	☐ Miscarriage - 2nd trimester (< 22 weeks)	
4 <sup>th</sup>	Status	☐ Stillbirth (≥ 22 weeks and weight ≥ 500 g)	
Pregnancy		☐ Induced abortion	
		☐ Ectopic pregnancy	
		□ Other	
	if OTHER	please specify	

Page **10** of **13** 



# Posttreatment 12-15 months



## **Record ID**

## WHOQOL-BREF

# The World Health Organization Quality of Life Brief 26-item Version English version



Granted permission for WHO copyrighted material; request number: **393701** WHO REFERENCE NUMBER: **WHO/HIS/HSI Rev.2012.03** 

## **Instructions**

This assessment asks how you feel about your quality of life, health, or other areas of your life. Please read each question, assess your feelings, and circle the number on the scale for each question that gives the best answer for you. Please keep in mind your standards, hopes, pleasures and concerns. We ask that you think about your life in the last 2 weeks.

		Very poor	Poor	Neither poor nor good	Good	Very good
<b>1</b>	How would you rate your quality of life?	1	2	3	4	5

		Very dissatisfied	Dissatisfied	Neither satisfied nor dissatisfied	Satisfied	Very satisfied
<b>2</b> (G4)	How satisfied are you with your health?	1	2	3	4	5

The following questions ask about **how much** you have experienced certain things in the last two weeks.

		Not at all	A little	A moderate amount	Very much	An extreme amount
<b>3</b> (F1.4)	To what extent do you feel that (physical) pain prevents you from doing what you need to do?	1	2	3	4	5
<b>4</b> (F11.3)	How much do you need any medical treatment to function in your daily life?	1	2	3	4	5
<b>5</b> (F4.1)	How much do you enjoy life?	1	2	3	4	5
<b>6</b> (F24.2)	To what extent do you feel your life to be meaningful?	1	2	3	4	5

		Not at all	A little	A moderate amount	Very much	Extremely
<b>7</b> (F5.3)	How well are you able to concentrate?	1	2	3	4	5
<b>8</b> (F16.1)	How safe do you feel in your daily life?	1	2	3	4	5
<b>9</b> (F22.1)	How healthy is your physical environment?	1	2	3	4	5



Version: November 2023 Page 11 of 13





The following questions ask about how completely you experience or were able to do certain things in the last two

-		Not at all	A little	Moderately	Mostly	Completely
<b>10</b> (F2.1)	Do you have enough energy for everyday life?	1	2	3	4	5
<b>11</b> (F7.1)	Are you able to accept your bodily appearance?	1	2	3	4	5
<b>12</b> (F18.1)	Have you enough money to meet your needs?	1	2	3	4	5
<b>13</b> (F20.1)	How available to you is the information that you need in your day-to-day life?	1	2	3	4	5
<b>14</b> (F21.1)	To what extent do you have the opportunity for leisure activities?	1	2	3	4	5

		Very poor	Poor	Neither poor nor good	Good	Very good
15 How well are you	able to get around?	1	2	3	4	5

The following questions ask you to say how good or satisfied you have felt about various aspects of your life over the last two weeks.

		Very dissatisfied	Dissatisfied	Neither satisfied nor dissatisfied	Satisfied	Very satisfied
<b>16</b> (F3.3)	How satisfied are you with your sleep?	1	2	3	4	5
<b>17</b> (F10.3)	How satisfied are you with your ability to perform your daily living activities?	1	2	3	4	5
<b>18</b> (F12.4)	How satisfied are you with your capacity for work?	1	2	3	4	5
<b>19</b> (F6.3)	How satisfied are you with yourself?	1	2	3	4	5
<b>20</b> (F13.3)	How satisfied are you with your personal relationships?	1	2	3	4	5
<b>21</b> (F15.3)	How satisfied are you with your sex life?	1	2	3	4	5
<b>22</b> (F14.4)	How satisfied are you with the support you get from your friends?	1	2	3	4	5
<b>23</b> (F17.3)	How satisfied are you with the conditions of your living place?	1	2	3	4	5
<b>24</b> (F19.3)	How satisfied are you with your access to health services?	1	2	3	4	5
<b>25</b> (F23.3)	How satisfied are you with your transport?	1	2	3	4	5

The following question refers to how often you have felt or experienced certain things in the last two weeks.

		Never	Seldom	Quite often	Very often	Always
<b>26</b> (F8.1)	How often do you have negative feelings such as blue mood, despair, anxiety, depression?	1	2	3	4	5

Thank you for your help!



Version: November 2023 Page **12** of **13** 





Record ID	

End Study Block I									
Did the patient complete the first study block (12-15 months) according to the protocol?									
if YES ⇒	Completion date								
if NO ➡	Reason for non-completion	<ul><li>□ Patient withdrew consent</li><li>□ Patient was lost to follow-up</li><li>□ Patient died</li><li>□ Other reason</li></ul>							
	End of study date								
		•••	Min: 01-11-2023 Max: 31-12-2039						

Page **13** of **13**